



## **Modelling approach and benchmark experiments for Nernst-Plack-based transport, Coulombic interactions and geochemical reactions in saturated porous media**

**Sprocati, Riccardo; Masi, Matteo; Jin, Biao; Muniruzzaman, Muhammad; Rolle, Massimo**

*Publication date:*  
2018

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Sprocati, R., Masi, M., Jin, B., Muniruzzaman, M., & Rolle, M. (2018). *Modelling approach and benchmark experiments for Nernst-Plack-based transport, Coulombic interactions and geochemical reactions in saturated porous media*. Abstract from InterPore 10th Annual Meeting and Jubilee , New Orleans, United States.

---

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Contribution ID : 262

Type : Poster

## Modelling approach and benchmark experiments for Nernst-Planck based transport, Coulombic interactions and geochemical reactions in saturated porous media

Wednesday, 16 May 2018 18:30 (15)

The transport of electrolytes in porous media is affected by physical, chemical and electrochemical processes. Coulombic interactions significantly influence the behavior of electrolyte plumes at different scales, not only in diffusion-dominated conditions but also in advection-dominated flow regimes [1-3]. To model the spatial behavior of charge-induced interactions in multi-dimensional homogeneous and heterogeneous domains, we propose a Nernst-Planck based modeling approach for conservative and reactive transport. The model is based on a coupling between COMSOL Multiphysics® and PhreeqcRM [4]. Important features of the proposed approach include transport of chemical species and not of chemical components, the definition of physically and chemically heterogeneous domains and the implementation of electromigration as well as of the flux components arising from the activity coefficient gradients. The model has been benchmarked with numerical simulations in PHREEQC [5], analytical solutions and high-resolution experimental datasets in homogeneous and heterogeneous setups for steady-state and transient conditions in different dimensions (1D, 2D and 3D). Fully three-dimensional experiments on multicomponent ionic transport were also performed in this study and were used to validate the proposed modeling approach. Simulations show an excellent agreement with the experimental and modeling benchmark problems, thus highlighting the potential of the Nernst-Planck based model for the evaluation of conservative and reactive multicomponent ionic transport.

### References

- [1] Rolle, M., M. Muniruzzaman, C. M. Haberer, and P. Grathwohl (2013), Coulombic effects in advection-dominated transport of electrolytes in porous media: Multicomponent ionic dispersion, *Geochim. Cosmochim. Acta*, 120(0), 195-205.
- Muniruzzaman, M., C. M. Haberer, P. Grathwohl, and M. Rolle (2014), Multicomponent ionic dispersion during transport of electrolytes in heterogeneous porous media: Experiments and model-based interpretation, *Geochim. Cosmochim. Acta*, 141(0), 656-669.
- Muniruzzaman, M., and M. Rolle (2015), Impact of multicomponent ionic transport on pH fronts propagation in saturated porous media, *Water Resour. Res.*, 51(8), 6739-6755.
- Parkhurst, D. L., and L. Wissmeier (2015), PhreeqcRM: A reaction module for transport simulators based on the geochemical model PHREEQC, *Adv. Water Resour.* 83, 176-189.
- Parkhurst, D. L., and C. A. J. Appelo (2013), Description of input and examples for PHREEQC version 3- A computer program for speciation, batch-reaction, one dimensional transport, and inverse geochemical calculations. U.S. Geological Survey Techniques and Methods; 6-A43:497.

### Acceptance of Terms and Conditions

[Click here to agree](#)

**Primary author(s) :** SPROCATI, Riccardo (Department of Environmental Engineering, Technical University of Denmark, Miljøvej, Building 115, 2800 Kgs. Lyngby, Denmark)

**Co-author(s) :** MASI, Matteo (Department of Energy, Systems, Territory, and Construction Engineering, University of Pisa, Via C.F. Gabba 22, 56122 Pisa, Italy); JIN, Biao (State Key Laboratory of Organic Geochemistry, Guangzhou Institute of Geochemistry, 510640 Guangzhou, China); MUNIRUZZAMAN, Muhammad (Geological Survey of Finland, Neulaniementie 5, 70211 Kuopio, Finland); ROLLE, Massimo (Department of Environmental Engineering, Technical University of Denmark, Miljøvej, Building 115, 2800 Kgs. Lyngby, Denmark)

**Presenter(s) :** SPROCATI, Riccardo (Department of Environmental Engineering, Technical University of Denmark, Miljøvej, Building 115, 2800 Kgs. Lyngby, Denmark)

**Session Classification :** Poster 3

**Track Classification :** MS 1.11: Conservative and Reactive Transport of Charged Species in Permeable and Impermeable Porous Media